

# **Ruijie RG-E-120(GE) & RG-E-130(GE) Power Injectors Datasheet**

Ruijie Networks Co., Ltd.

All Rights Reserved

# Contents

1	Product Photos .....	2
2	Product Features .....	3
3	Technical Specifications .....	4
4	Ordering Information.....	5
5	More Information.....	6

# 1 Product Photos



Ruijie RG-E-130(GE) Power Injector



Ruijie RG-E-120(GE) Power Injector

## 2 Product Features

Ruijie RG-E-120(GE) and RG-E-130(GE) Power Injectors are designed to power remote management products such as wireless access points, SOHO switches, IP phones, webcams and so on. The Power Injectors, compliant with IEEE 802.3at standard, are PSE adapters supporting such products with PoE (Power over Ethernet) power supply. All the RJ45 ports on the Power Injector support auto MDI/MDIX cable recognition and the power injectors sustain power transmission via cable for up to 100m, enabling flexible deployment of powered devices (PDs). The Ruijie RG-E-120(GE) and RG-E-130(GE) Power Injectors provide excellent short circuit protection and enables intelligent automated PD recognition. The Power Injectors detect if the connected device is a PD to eliminate all the possible harms a PSE appliance would cause to a non-PoE device. The modern and exquisite Ruijie Power Injectors offer maximized investment cost savings and are an ideal for an extensive range of network settings such as large-scale campus, enterprise, public hotspots, sports stadium, etc.

Ruijie RG-E-120(GE) and RG-E-130(GE) Power Injectors deliver the following features:

- Up to 30W of Power (RG-E-130(GE) only)
- IEEE 802.3at Compliant with 2-event Classification (RG-E-130(GE) only)
- Compatible with all IEEE 802.3af standards
- Safe: Low Power Devices Receive Only the Power They Need
- Safe and Reliable Power to WLAN Access Points
- Automatic Detection and Protection of Non-standard Ethernet Terminals
- Supports 10/100/1000Base-T Applications
- Compact Design Fits Easily in WLAN Access Point Installations



Ruijie RG-E-130(GE) Power Injector RJ-45 Ports

## 3 Technical Specifications

	RG-E-120(GE)	RG-E-130(GE)
<b>Ports</b>	10/100/1000 Mbps Copper port (RJ-45) 10/100/1000 Mbps PoE Copper port (RJ-45)	
<b>Power</b>	Output Power Voltage: 50V DC Output Port Power: 15.4W	Output Power Voltage: 53V DC Output Port Power: 30W
<b>Dimensions</b> (W x H x L) (mm)	53 x 32.5 x 140	87.9 x 51.3 x 166
<b>Weight</b>	200g	350g
<b>Temperature</b>	Operating Temperature: 0°C to 45°C Storage Temperature: -30°C to 85°C	
<b>Humidity</b>	Operating Humidity: 5% to 90% (non-condensing) Storage Humidity: 5% to 95% (non-condensing)	
<b>Altitude</b>	Operating Altitude: 0 to 3048m	
<b>Regulatory Compliance</b>	IEEE 802.3at, IEEE 802.3af RoHS Compliant, WEEE Compliant, CE	
<b>MTBF</b>	>100,000 hours @25°C	
<b>Electromagnetic Emission &amp; Immunity Safety Approval</b>	FCC Part 15, EN 55022 Class B (Emissions) EN 55024 (Immunity), VCCI, UL/cUL Per EN 60950-1, GS Mark Per EN 60950-1	

## 4 Ordering Information

Model	Description
<b>RG-E-120(GE)</b>	1-port PoE adapter, Gigabit port, support PoE (802.3af)
<b>RG-E-130(GE)</b>	1-port PoE adapter, Gigabit port, support PoE+ (802.3at)

## 5 More Information

For more information about the Ruijie RG-E-120(GE) and RG-E-130(GE) Power Injectors, please visit <http://www.ruijienetworks.com> or contact our local Ruijie sales representative.

---

### Ruijie Networks Co.,Ltd

#### Headquarter in Beijing

Address: Floor 11, East Wing, ZhongYiPengAo Plaza, No.29 Fuxing Road, Haiddian District, Beijing 100036,China  
Email: [info@ruijie.com.cn](mailto:info@ruijie.com.cn)  
Tel: (8610)5171-5961  
Fax: (8610)5171-5997

#### Regional Office in HongKong

Address: Unit 09,20/F, Millennium City 2, 378 Kwun Tong Road, Kowloon,Hong Kong  
Email: [sales-hk@ruijienetworks.com](mailto:sales-hk@ruijienetworks.com)  
Tel: (852) 3620-3460  
Fax: (852) 3620-3470

For further information, Please visit our website://[www.ruijienetworks.com](http://www.ruijienetworks.com)

#### Supply Chain in Fuzhou

Address: JuYuan Start-net Ruijie Technology Park, No. 618 JinShan road, Fuzhou City, 350002, China  
Tel: (86591) 83057888  
(86591) 83057000

#### Regional Office in Malaysia

Address: Office Suite 19-12-3A, Level 12, UOA Center, No.19 Jalan Pinang, 50450 Kuala Lumpur  
Email: [sales-my@ruijienetworks.com](mailto:sales-my@ruijienetworks.com)  
Tel: (60) 166770838

---

This material was made in Jul,2012. The pictures and technical data inside are only for reference. All rights reserved.